Revision Date: 09-02-15



I. IDENTIFICATION

Product identification used on label

Product Name: MAXI-BATTERY PROFESSIONAL - BUBBLEGUM

Product Identifier: Battery, Still, Electric

Recommended Use of the LIQUID ODOR COUNTERACTANT

Chemical and restrictions on use:

Company: AIR-SCENT INT'L

> RIDC INDUSTRIAL PARK 290-298 ALPHA DRIVE PITTSBURGH, PA 15238

Emergency Phone

EMERGENCY PHONE: (800) 535-5053 Number: INFORMATION PHONE: 800-247-0770

INFORMATION FAX: 412-252-1010 IF SWALLOWED CALL YOUR POISON **CONTROL CENTER AT 1-800-222-1222**

II. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:





GHS Classification: Skin Corrosion/Irritation Category 2; Hazardous to the aquatic environment - Acute Category 3;

Hazardous to the aquatic environment - Chronic Category 3; Flammable Liquid Category 4

GHS Signal Word: Warning

GHS Hazard Cumbustible Liquid; May cause skin and serious eye irritation; Keep away from open flames Avoid

release to the environment.

GHS Precautions:

Safety Precautions: Keep away from open flames. No smoking. Wash thoroughly after handling. Contaminated work

clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective

gloves, eye protection.

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. If

skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash

before reuse. Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep cool. Storage:

Revision Date: 09-02-15

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation for

hazardous wastes.

III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	%
Hydrotreated light distillate (Petroleum)	90622-58-5	60 - 99
Benzoic acid, 2-amino-, methyl ester	134-20-3	3 - 7
Butanoic acid, ethyl ester	105-54-4	1 - 5
3-Octanol, 3,7-dimethyl-	78-69-3	1 - 5
Ethyl methylphenylglycidate	77-83-8	0.5 - 1.5
Benzoic acid, 2-hydroxy-, hexyl ester	6259-76-3	0.1 - 1
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (R)-	5989-27-5	0.1 - 1
Balsams, copaiba	8001-61-4	0.01 - 0.1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

IV. FIRST-AID MEASURES

Inhalation:	Remove to fresh air. If h	reathing is difficult have	a trained individual administer

oxygen. If not breathing, give artificial respiration and have a trained individual

administer oxygen. Get medical attention immediately.

Eyes: Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt

the head to prevent chemical from transferring to the uncontaminated eye. Get

immediate medical attention.

Skin Contact: Wash with soap and water. Get medical attention if irritation develops or persists.

Ingestion: Do not induce vomiting and seek medical attention immediately. Drink two glasses

of water or milk to dilute. Provide medical care provider with this MSDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material

into the lungs potentially causing chemical pneumonitis.

Most important

symptoms and effects -

acute

No Data Available

Most important

symptoms and effects -

No Data Available

chronic

Notes to Doctor: No additional first aid information available

V. FIRE FIGHTING MEASURES

Flammability Summary: Combustible

Extinguishing Media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water

spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot

burning liquid.

Extinguishing Media advised against: No Data Available

Fire and/or Explosion Hazards: Vapors may be ignited by sparks, flames or other sources of ignition

if material is above the flash point giving rise to a fire (Class B).

Revision Date: 09-02-15

Vapors are heavier than air and may travel to a source of ignition and flash back. Combustible Liquid. Can form explosive mixtures at

temperatures at or above the flash point.

Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder,

drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Do not enter fire area without proper protection including

Fire Fighting Methods and Protection: Do not enter fire area without proper protection including

self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products.

Hazardous Combustion Products: Carbon dioxide, Carbon monoxide, Carbon Oxides, nitrogen oxides

(NOx)

VI. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Equipment: No health affects expected from the clean-up of this material if

contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

Methods for Clean-up:No special spill clean-up considerations. Collect and discard in regular

trash.

VII. HANDLING AND STORAGE

Handling Technical Measures and Precautions: Mildly irritating material. Avoid unnecessary exposure. As

with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous.

Storage Technical Measures and Conditions: Store in a cool dry place. Isolate from incompatible materials.

Keep container closed when not in use Store in a cool dry

place Keep away from heat, sparks, and flame

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents Amines Strong acids Caustics (bases)

Acids Acid chlorides Acid anhydrides Chloroformates Strong

bases Oxidising agents Bases

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures: Local exhaust ventilation or other engineering controls are normally required when

handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Ventilation is required to maintain operator exposure below published exposure limits. Use process enclosures, local exhaust ventilation, or other engineering controls to control

airborne levels below recommended exposure limits

Respiratory Protection: Respiratory protection will be required when handling this product. Use respirators

only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. Follow a respiratory protection program that meets 29 CFR

Revision Date: 09-02-15

1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the

use of a respirator. Wear a NIOSH approved respirator if any exposure is possible.

Wear chemically resistant safety glasses with side shields when handling this product.

Do not wear contact lenses. Wear goggles and a Face shield

Skin Protection: Not normally considered a skin hazard. Where use can result in skin contact, practice

good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield

Gloves: No information available

Handling Instructions: As with all chemicals, good industrial hygiene practices should be followed when

handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty"

containers retain product residue (liquid and/or vapor) and can be dangerous.

Control Parameters:

Eye Protection:

Chemical Name ACGIH TLV-TWA ACGIH STEL OSHA PEL

No Data Available

IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Color: PALE YELLOW

Odor: Comparable to Standard

Odor Threshold: ND

pH: Not Available Initial Boiling Point: 493 ° F Flash Point: 160

Evaporation Rate: Not Available **Flammability (Solid, Gas):** No Data Available

Upper Flammable/Explosive Limit: 6.0
Lower Flammable/Explosive Limit: 1.2
Vapor Density: > 1
Relative Density (Specific Gravity): 0.8371

Solubility in Water: Soluble in water- No **Octanol/Water Partition Coefficient:** 3.3 at 20 °C (68 °F)

Auto-ignition Temperature:463 ° CVolatiles, % by weight:18.00Bulk Density:6.985

X. STABILITY AND REACTIVITY

Reactivity: No Data Available

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: No Data Available

Conditions to Avoid: Temperatures above flash point in combination with sparks,

open flames, or other sources of ignition. Contamination Elevated temperatures Heat flame sparks Avoid moisture

Revision Date: 09-02-15

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents Amines Strong acids Caustics (bases)

Acids Acid chlorides Acid anhydrides Chloroformates Strong

bases Oxidising agents Bases

Hazardous Decomposition Products: Carbon dioxide Carbon monoxide Carbon Oxides nitrogen

oxides (NOx)

XI. TOXICOLOGICAL INFORMATION

Routes of Entry: Skin contact, Eye contact **Most Important** No Data Available

Symptoms:

Chemical Interactions That Change Toxicity: None Known

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:Can cause respiratory irritation.Skin Contact:Can cause minor skin irritation.

Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to permanently

injure eye tissue.

Ingestion Irritation: Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

vomiting and diarrhea. Aspiration of material into the lungs can cause chemical

pneumonitis.

Ingestion Toxicity: Harmful if swallowed.

Long-Term (Chronic) Health Effects:

Carcinogenicity:None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive toxicity: No data available to indicate product or any components present at greater than

0.1% may cause birth defects.

Germ cell mutagenicity: No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, can cause severe respiratory irritation,

dizziness, weakness, fatigue, nausea, headache and possible unconsciousness.

Skin Contact: Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and

dermatitis.

Component Toxicology Data:

Chemical Name CAS Number LD50/LC50

No data available

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data			
Available			

Revision Date: 09-02-15

XII. ECOLOGICAL INFORMATION

Overview: This material is not expected to be harmful to the ecology.

Mobility in Soil:No Data AvailablePersistence:No Data AvailableBioaccumulation:No Data AvailableOther adverse effectsNo Data Available

Ecotoxicity Data

Chemical Name CAS Number Aquatic EC50 Aquatic ERC50 Aquatic LC50 Fish

Crustacea Algae

No Data Available

XIII. DISPOSAL CONSIDERATIONS

Waste Description for Spent Product:

Waste Description for Empty

Packaging:

Spent or discarded material may be a hazardous waste.

No Data Available

DISPOSAL METHODS: DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY

BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations

may vary in different locations. Waste characterizations and

compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device.

Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance

with all applicable regulations.

XIV. TRANSPORTATION INFORMATION

US DOT Ground Shipping Description:

IATA Shipping Description:

IMDG Shipping Description:

Not Restricted

Not Restricted

XV. REGULATORY INFORMATION

TSCA Status All components in this product are on the TSCA Inventory.

Chemical Name CAS # Regulation % Range

No 313-listed chemicals in this product SARA 313

XVI. OTHER INFORMATION

Revision Date: 09-02-15

Revision Date: 09-02-2015

Disclaimer: Important: While the descriptions, data and information contained herein are presented in

good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or

Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.