

### I. IDENTIFICATION

Product identification used on label
Product Name:
Product Identifier:
Recommended Use of the
Chemical and restrictions on use:

MAXI-BATTERY PROFESSIONAL CREAMY CARIBBEAN Battery, Still, Electric Liquid Odor Counteractant

Company:	AIR-SCENT INT'L
	RIDC INDUSTRIAL PARK
	290-298 ALPHA DRIVE
	PITTSBURGH, PA 15238
Emergency Phone	EMERGENCY PHONE: (800) 535-5053
Number:	INFORMATION PHONE: 800-247-0770
	INFORMATION FAX: 412-252-1010
	IF SWALLOWED CALL YOUR POISON
	CONTROL CENTER AT 1-800-222-1222

### **II. HAZARD(S) IDENTIFICATION**

Classification of the chemical in accordance with paragraph (d) of §1910.1200;



GHS Classification:	Skin Corrosion/Irritation Category 2; Hazardous to the aquatic environment - Acute Category 3; Hazardous to the aquatic environment - Chronic Category 3; Flammable Liquid Category 4
GHS Signal Word:	Warning
GHS Hazard	Cumbustible Liquid; May cause skin and serious eye irritation; Keep away from open flames Avoid release to the environment.
GHS Precautions:	
Safety Precautions:	Keep away from open flames. No smoking. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves, eye protection.
First Aid Measures:	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.
Storage:	Store in a well-ventilated place. Keep cool.

#### PROFESSIONAL CREAMY CARIBBEAN

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

### **III. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS #	%
Hydrotreated light distillate (Petroleum)	64742-47-8	60 - 99
Petroleum Distillate	8052-41-3	10 - 30
Cyclohexanepropanoic acid, 2-propen-1-yl ester	2705-87-5	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately.			
Eyes:	<ul> <li>Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.</li> <li>Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.</li> <li>Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis.</li> </ul>			
Skin Contact:				
Ingestion:				
Most important				
symptoms and effects - acute	No Data Available			
Most important symptoms and effects - chronic	No Data Available			
Notes to Doctor:	No additional first aid information available			
. FIRE FIGHTING MEASURE	S			
<u>Flammability Summary:</u> Extinguishing Media:		<b>Combustible</b> Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing agents. Water may be ineffective but water spray can be used extinguish a fire if swept across the base of the flames. Water can absorb heat and keep exposed material from being damaged by fire. Alcohol foam Dry chemical Carbon dioxide		
Extinguishing Media advised against: Fire and/or Explosion Hazards:		No Data Available Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back. Combustible Liquid. Can form explosive mixtures at temperatures at or above the flash point.		

Fire Fighting Methods and Protection:	Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the surface.
Hazardous Combustion Products:	Carbon dioxide, Carbon monoxide, Toxic fumes., Toxic gases
VI. ACCIDENTAL RELEASE MEASURES	
Personal Precautions and Equipment:	No health affects expected from the clean-up of this material if
	contact can be avoided. Follow personal protective equipment
	recommendations found in Section VIII of this MSDS
Methods for Clean-up:	No special spill clean-up considerations. Collect and discard in regular trash.
	lidsii.
VII. HANDLING AND STORAGE	
Handling Technical Measures and Precau	tions: Mildly irritating material. Avoid unnecessary exposure. As
	with all chemicals, good industrial hygiene practices should
	be followed when handling this material. Avoid contact with
	be followed when handling this material. Avoid contact with
	material, avoid breathing dusts or fumes, use only in a well
	-
	material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when
	material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product
	material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use
	material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use spark-proof tools and explosion-proof equipment Keep in
	material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use spark-proof tools and explosion-proof equipment Keep in air-tight containers- material is hygroscopic. Remove
Storage Technical Measures and Conditic	material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use spark-proof tools and explosion-proof equipment Keep in air-tight containers- material is hygroscopic. Remove contaminated clothing and wash before reuse
Storage Technical Measures and Condition	<ul> <li>material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use spark-proof tools and explosion-proof equipment Keep in air-tight containers- material is hygroscopic. Remove contaminated clothing and wash before reuse</li> <li>Store in a cool dry place. Isolate from incompatible materials.</li> </ul>
Storage Technical Measures and Condition	<ul> <li>material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use spark-proof tools and explosion-proof equipment Keep in air-tight containers- material is hygroscopic. Remove contaminated clothing and wash before reuse</li> <li>Store in a cool dry place. Isolate from incompatible materials. Keep container closed when not in use Store in a cool dry</li> </ul>
Storage Technical Measures and Condition	<ul> <li>material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use spark-proof tools and explosion-proof equipment Keep in air-tight containers- material is hygroscopic. Remove contaminated clothing and wash before reuse</li> <li>Store in a cool dry place. Isolate from incompatible materials.</li> </ul>
Storage Technical Measures and Condition Materials to Avoid/Chemical Incompatib	<ul> <li>material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use spark-proof tools and explosion-proof equipment Keep in air-tight containers- material is hygroscopic. Remove contaminated clothing and wash before reuse</li> <li>Store in a cool dry place. Isolate from incompatible materials. Keep container closed when not in use Store in a cool dry place Keep away from heat, sparks, and flame Keep away from sources of ignition Store in a tightly closed container</li> <li>Strong oxidizing agents Amines Strong acids Caustics (bases)</li> </ul>
	<ul> <li>material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use spark-proof tools and explosion-proof equipment Keep in air-tight containers- material is hygroscopic. Remove contaminated clothing and wash before reuse</li> <li>Store in a cool dry place. Isolate from incompatible materials. Keep container closed when not in use Store in a cool dry place Keep away from heat, sparks, and flame Keep away from sources of ignition Store in a tightly closed container</li> </ul>

#### **VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Measures:** Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Ventilation is required to maintain operator exposure below published exposure limits. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits Explosion proof exhaust ventilation should be used.

Respiratory Protection:	Respiratory protection will be required when handling this product. Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Wear a NIOSH approved respirator if any exposure is possible.
Eye Protection:	Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses. Wear goggles and a Face shield
Skin Protection:	Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield
Gloves:	No information available
Handling Instructions:	As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use spark-proof tools and explosion-proof equipment Keep in air-tight containers- material is hygroscopic. Remove contaminated clothing and wash before reuse

### **Control Parameters:**

Chemical Name	ACGIH TLV-TWA	ACGIH STEL	OSHA PEL
Stoddard solvent	100 ppm TWA; 525 mg/m3		500 ppm TWA; 2900
	TWA		mg/m3 TWA

#### **IX. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State:	Liquid
Color:	Clear
Odor:	Mild Comparable to Standard
Odor Threshold:	ND
pH:	Not Available
Flash Point:	155 º F
Evaporation Rate:	Not Available
Flammability (Solid, Gas):	No Data Available
Upper Flammable/Explosive Limit:	6.0
Lower Flammable/Explosive Limit:	1.1
Vapor Density:	> 1
Relative Density:	1
Solubility in Water:	Soluble in water- No
Octanol/Water Partition Coefficient:	0.14
Volatiles, % by weight:	1.23
Volatiles, % by weight:	1.23
Bulk Density:	7.127

### X. STABILITY AND REACTIVITY

Reactivity:
Chemical Stability:
Possibility of Hazardous Reactions:

No Data Available Stable under normal conditions. No Data Available

PROFESSIONAL CREAMY CARIBBEAN

Conditions to Avoid:	None known. Contamination Elevated temperatures
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents Amines Strong acids Caustics (bases)
	Acetic anhydride Strong reducing agents Chlorinated
	compounds
Hazardous Decomposition Products:	Carbon dioxide Carbon monoxide Toxic fumes. Toxic gases
Hazardous Decomposition Products:	•

### XI. TOXICOLOGICAL INFORMATION

Routes of Entry: Most Important Symptoms:	Skin contact, Eye contact, In No Data Available	halation	
Target Organs Potentially Affected by Exposure: Chemical Interactions That Change Toxicity: Medical Conditions Aggravated by Exposure:		Eyes, Skin, Respiratory Tract None Known	
		Eye disease, Skin disease including eczema and sensitization, Respiratory disease including asthma and bronchitis	
Immediate (Acute) He	ealth Effects by Route of Exposu	ıre:	
		spiratory irritation.	
Skin Contact:		Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.	
Eye Contact:		Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.	
Ingestion Irritation	vomiting and	Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea vomiting and diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis.	
Ingestion Toxicity:	Harmful if sv	Harmful if swallowed.	
Long-Term (Chroni	c) Health Effects:		
Carcinogenicity:		substances have been shown to cause cancer in long term animal a carcinogen according to NTP, IARC, or OSHA.	
Reproductive toxic	-	No data available to indicate product or any components present at greater than 0.1% may cause birth defects.	
Germ cell mutager	•	lable to indicate product or any components present at greater than genic or genotoxic.	
Inhalation:		Upon prolonged and/or repeated exposure, can cause severe respiratory irritation, dizziness, weakness, fatigue, nausea, headache and possible unconsciousness.	
Skin Contact:	Upon prolon	Upon prolonged or repeated contact, can cause moderate skin irritation, defatting,	

•	•	•	•	-	
and o	dermat	titis. I	Not likely to	cause permanent damage.	

Component Toxicology Data:		
Chemical Name	CAS Number	LD50/LC50
No data available		

## Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA	IARC	NTP	
	Carcinogen	Carcinogen	Carcinogen	

PROFESSIONAL CREAMY CARIBBEAN

No Data					
Available					
II. ECOLOGICAL INFORMATION					
	aterial is not e	xpected to be harn	ful to the ecology.		
	a Available		0,		
Persistence: No Dat	No Data Available				
	No Data Available				
Other adverse effects No Dat	a Available				
Ecotoxicity Data					
Chemical Name CAS	Number	Aquatic EC50	Aquatic ERC50	Aquatic LC50 Fish	
		Crustacea	Algae		
No Data Available					
KIII. DISPOSAL CONSIDERATIONS					
Waste Description for Spent Product: Waste Description for Empty	Spent or o No Data		may be a hazardous wa	ste.	
Packaging:					
Disposal Methods:	DO NOT I	OUMP INTO ANY SF	WERS, ON THE GROUN	D. OR INTO ANY	
			al practices must be in o		
			local laws and regulati	•	
			ns. Waste characteriza		
	complian	ce with applicable l	aws are the sole respor	nsibility of the waste	
	generato	. As your supplier,	we have no control over	er the management	
	practices	or manufacturing p	rocesses of parties han	dling or using this	
	material.	The information p	resented here pertains	only to the product	
	when use	d as intended, acco	rding to this MSDS. For	r unused and	
	uncontan	ninated product, th	e preferred options inc	lude sending to a	
	licensed a	nd permitted incin	erator or other therma	l destruction device.	
		•	incial agencies may ha	-	
	-	-	ansportation, handling	-	
		•	h may not be covered i		
			se regulations to ensur	e full compliance	
	with all a	oplicable regulation	S.		
KIV. TRANSPORTATION INFORMATION	l				
JS DOT Ground Shipping Description:	Not Rest				
ATA Shipping Description:	Not Rest	ricted			
MDC Chinging Descriptions		neteu			
MDG Shipping Description:	Not Rest				
KV. REGULATORY INFORMATION	Not Rest				
		ricted	tory.		
(V. REGULATORY INFORMATION		ricted e on the TSCA Inver	tory. Regulation	% Range	
KV. REGULATORY INFORMATION       TSCA Status       All components in the	nis product are CAS #	ricted e on the TSCA Inver		% Range	

### XVI. OTHER INFORMATION

<b>Revision Date:</b>	07/09/2015
Disclaimer:	Important: While the descriptions, data and information contained herein are presented in
	good faith and believed to be accurate, it is provided for your guidance only. Because many
	factors may affect processing or application/use, we recommend that you perform an
	assessment to determine the suitability of the product for your particular purpose prior to use.
	Nothing herein should be interpreted as a recommendation to infringe existing patents or
	violate any laws or regulations. No warranties of any kind, either expressed or implied,
	including fitness for a particular purpose are made regarding the product described. We
	assume NO responsibility for any injuries resulting from misuse or misapplication of this
	product or that might be sustained because of inhalation, ingestion, absorption or other
	contact with this product. In no case shall the descriptions, information, or data provided be
	considered a part of our terms and conditions of sale. Further, the descriptions, data and
	information furnished hereunder are given gratis. No obligation or liability for the description,
	data and information given are assumed. All such being given and accepted at your risk.