

Revision Date: 12-18-15

#### I. IDENTIFICATION

Product identification used on label

Product Name: MAXI-BATTERY PROFESSIONAL - ENVIROBLAST

**Product Identifier:** 

**Recommended Use of the**Liquid Odor Counteractant

Chemical and restrictions on use:

Company: ALPHA AROMATICS

RIDC INDUSTRIAL PARK 294 ALPHA DRIVE FOX CHAPEL, PA 15238

**Emergency Phone** 

Number:

EMERGENCY PHONE: (800) 535-5053 INFORMATION PHONE: 412-252-1012

INFORMATION FAX: 412-252-1014

IF SWALLOWED CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222

### II. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:





**GHS Classification:** Skin Corrosion/Irritation Category 2; Hazardous to the aquatic environment - Acute Category 3;

Hazardous to the aquatic environment - Chronic Category 3; Flammable Liquid Category 4

GHS Signal Word: Warning

GHS Hazard Cumbustible Liquid; May cause skin and serious eye irritation; Keep away from open flames Avoid

release to the environment.

**GHS Precautions:** 

Safety Precautions: Keep away from open flames. No smoking. Wash thoroughly after handling. Contaminated work

clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective

gloves, eye protection.

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. If

skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash

before reuse. Wash contaminated clothing before reuse.

**Storage:** Store in a well-ventilated place. Keep cool.

**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulation for

hazardous wastes.

Revision Date: 12-18-15

**III. COMPOSITION/INFORMATION ON INGREDIENTS** 

Chemical Name	CAS#	%
Decanal	112-31-2	15 - 40
CITRAL 95 - C-1161	5392-40-5	10 - 30
Benzaldehyde, 3-ethoxy-4-hydroxy-	121-32-4	3 - 7
2H-1-Benzopyran-2-one	91-64-5	1 - 5
Octanal	124-13-0	1 - 5
Dodecanal	112-54-9	0.5 - 1.5
Hexanoic acid, ethyl ester	123-66-0	0.5 - 1.5

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

#### **IV. FIRST-AID MEASURES**

Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer
-------------	--

oxygen. If not breathing, give artificial respiration and have a trained individual

administer oxygen. Get medical attention immediately

**Eyes:** Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt

the head to prevent chemical from transferring to the uncontaminated eye. Get

immediate medical attention.

**Skin Contact:** Wash with soap and water. Remove contaminated clothing and launder. Get

medical attention if irritation develops or persists.

**Ingestion:** Do not induce vomiting and seek medical attention immediately. Drink two glasses

of water or milk to dilute. Provide medical care provider with this MSDS.

Most important

symptoms and effects - No Da

symptoms and effects

No Data Available

acute

Most important

Notes to Doctor:

symptoms and effects -

chronic

No Data Available

No additional first aid information available

## V. FIRE FIGHTING MEASURES

<u>Flammability</u>	<u>, Summary</u>	<u>':</u>	Combustible

**Extinguishing Media:** Use alcohol resistant foam, carbon dioxide, dry chemical, or water

spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot

burning liquid.

**Extinguishing Media advised against:** No Data Available

**Fire and/or Explosion Hazards:** Material may be ignited if preheated to temperatures above the flash

point in the presence of a source of ignition. Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or

expose container to heat, flame, sparks, static electricity, or other

Revision Date: 12-18-15

sources of ignition. Any of these actions can potentially cause an

explosion that may lead to injury or death.

**Fire Fighting Methods and Protection:** Do not enter fire area without proper protection including

self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use

methods for the surrounding fire.

Hazardous Combustion Products: Carbon Oxides, Carbon dioxide, Carbon monoxide, Toxic fumes.,

Toxic gases

**VI. ACCIDENTAL RELEASE MEASURES** 

**Personal Precautions and Equipment:** No health affects expected from the clean-up of this material if

contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

Methods for Clean-up: No special spill clean-up considerations. Collect and discard in regular

trash.

VII. HANDLING AND STORAGE

Handling Technical Measures and Precautions: Mildly irritating material. Avoid unnecessary exposure. As

with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Use spark-proof tools and explosion-proof equipment Keep in air-tight containersmaterial is hygroscopic. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Remove

contaminated clothing and wash before reuse

**Storage Technical Measures and Conditions:** Store in a cool dry place. Isolate from incompatible materials.

Store in a cool dry place Store in a tightly closed container

Keep away from heat, sparks, and flame

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents Strong bases Strong reducing agents

Acetic anhydride Strong acids Chlorinated compounds

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Measures:** No exposure limits exist for the constituents of this product. Use local exhaust

ventilation or other engineering controls to minimize exposures and maintain operator comfort. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Explosion proof exhaust ventilation should be used. Ventilation is required to maintain operator exposure below published exposure limits. Use process enclosures, local exhaust ventilation, or other engineering controls

to control airborne levels below recommended exposure limits

Respiratory Protection: Respiratory protection may be required to avoid overexposure when handling this

product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a

respirator. Wear a NIOSH approved respirator if any exposure is possible.

Revision Date: 12-18-15

**Eye Protection:** Wear chemically resistant safety glasses with side shields when handling this product.

Do not wear contact lenses. Wear goggles and a Face shield

**Skin Protection:** Wear protective gloves. Inspect gloves for chemical break-through and replace at

regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber

boots, and chemical safety goggles plus a face shield

Gloves: No information available

**Handling Instructions:** As with all chemicals, good industrial hygiene practices should be followed when

handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Use spark-proof tools and explosion-proof equipment Keep in air-tight containers- material is hygroscopic. "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Remove contaminated clothing

and wash before reuse

**Control Parameters:** 

Chemical Name ACGIH TLV-TWA ACGIH STEL OSHA PEL

No Data Available

### IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

**Color:** PALE YELLOW

Odor: Mild Comparable to Standard

Odor Threshold: ND

pH: Not Available
Initial Boiling Point: 405 - 408 ° F
Flash Point: 165 ° F
Evaporation Rate: Not Available
Flammability (Solid, Gas): No Data Available

Upper Flammable/Explosive Limit: 9.0
Lower Flammable/Explosive Limit: 1.3
Vapor Density: > 1
Relative Density (Specific Gravity): 0.8086

**Solubility in Water:** Soluble in water- No

Octanol/Water Partition Coefficient: 0.14 4.75
Auto-ignition Temperature: 200 ° C
Volatiles, % by weight: 41.97
Bulk Density: 6.751

## X. STABILITY AND REACTIVITY

Reactivity: No Data Available

**Chemical Stability:** Stable under normal conditions.

Possibility of Hazardous Reactions: No Data Available

Conditions to Avoid: Temperatures above flash point in combination with sparks,

open flames, or other sources of ignition. Heat flame sparks Extremes of temperature direct sunlight Contamination

Elevated temperatures Do not heat over: 290°C

Revision Date: 12-18-15

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents Strong bases Strong reducing agents

Acetic anhydride Strong acids Chlorinated compounds

Hazardous Decomposition Products: Carbon Oxides Carbon dioxide Carbon monoxide Toxic fumes.

Toxic gases

### XI. TOXICOLOGICAL INFORMATION

Routes of Entry: Skin contact, Eye contact
Most Important No Data Available

Symptoms:

Chemical Interactions That Change Toxicity: None Known

### Immediate (Acute) Health Effects by Route of Exposure:

**Inhalation Irritation:** Can cause respiratory irritation.

**Skin Contact:** Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause

permanent damage.

**Skin Absorption:** No absorption hazard in normal industrial use.

**Eye Contact:** Can cause moderate irritation, tearing and reddening, but not likely to permanently

injure eye tissue.

**Ingestion Irritation:** Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

vomiting and diarrhea.

**Ingestion Toxicity:** Harmful if swallowed.

### Long-Term (Chronic) Health Effects:

**Carcinogenicity:**None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

**Reproductive toxicity:**No data available to indicate product or any components present at greater than

0.1% may cause birth defects.

**Germ cell mutagenicity:** No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

**Inhalation:** Upon prolonged and/or repeated exposure, can cause moderate respiratory

irritation, dizziness, weakness, fatigue, nausea and headache.

**Skin Contact:** Upon prolonged or repeated contact, can cause moderate skin irritation, defatting,

and dermatitis. Not likely to cause permanent damage.

**Skin Absorption:** Upon prolonged or repeated exposure, no hazard in normal industrial use.

## **Component Toxicology Data:**

Chemical Name CAS Number LD50/LC50

No data available

## Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data			
Available			

Revision Date: 12-18-15

#### XII. ECOLOGICAL INFORMATION

**Overview:** This material is not expected to be harmful to the ecology.

Mobility in Soil:No Data AvailablePersistence:No Data AvailableBioaccumulation:No Data AvailableOther adverse effectsNo Data Available

**Ecotoxicity Data** 

Chemical Name CAS Number Aquatic EC50 Aquatic ERC50 Aquatic LC50 Fish

Crustacea Algae

No Data Available

### XIII. DISPOSAL CONSIDERATIONS

Waste Description for Spent Product: Waste Description for Empty

Packaging:

Spent or discarded material may be a hazardous waste.

No Data Available

**DISPOSAL METHODS:** DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY

BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations

may vary in different locations. Waste characterizations and

compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device.

Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance

with all applicable regulations.

## **XIV. TRANSPORTATION INFORMATION**

US DOT Ground Shipping Description:

IATA Shipping Description:

IMDG Shipping Description:

Not Restricted

Not Restricted

### **XV. REGULATORY INFORMATION**

**TSCA Status** All components in this product are on the TSCA Inventory.

**California Prop 65** Does not contain any chemicals listed on California Proposition 65.

Chemical Name CAS # Regulation % Range

N590 Polycyclic aromatic compounds 91-64-5 SARA 313 1 - 5

(PACs)

### **XVI. OTHER INFORMATION**

**Revision Date:** 12-18-2015

**Disclaimer:** Important: While the descriptions, data and information contained herein are presented in

good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application (use, we recommend that you perform an

factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description,

data and information given are assumed. All such being given and accepted at your risk.

Revision Date: 12-18-15