

I. IDENTIFICATION

Product identification used on label
Product Name:
Product Identifier:
Recommended Use of the
Chemical and restrictions on use:

MAXI-BATTERY PROFESSIONAL LEMON BURST Battery, Still, Electric LIQUID ODOR COUNTERACTANT

Company:	AIR-SCENT INT'L
	RIDC INDUSTRIAL PARK
	290-298 ALPHA DRIVE
	PITTSBURGH, PA 15238
Emergency Phone	EMERGENCY PHONE: (800) 535-5053
Number:	INFORMATION PHONE: 800-247-0770
	INFORMATION FAX: 412-252-1010
	IF SWALLOWED CALL YOUR POISON
	CONTROL CENTER AT 1-800-222-1222

II. HAZARD(S) IDENTIFICATION

Classification of the chemical in accordance with paragraph (d) of §1910.1200;



GHS Classification:	Skin Corrosion/Irritation Category 2; Hazardous to the aquatic environment - Acute Category 3; Hazardous to the aquatic environment - Chronic Category 3; Flammable Liquid Category 4
GHS Signal Word:	Warning
GHS Hazard	Cumbustible Liquid; May cause skin and serious eye irritation; Keep away from open flames Avoid release to the environment.
GHS Precautions:	
Safety Precautions:	Keep away from open flames. No smoking. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves, eye protection.
First Aid Measures:	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.
Storage:	Store in a well-ventilated place. Keep cool.

MAXI-BATTERY PROFESSIONAL LEMON BURST

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS #	%
Hydrotreated light distillate (Petroleum)	64742-47-8	60 - 99
Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (R)-	5989-27-5	1 - 5
2,6-Octadienal, 3,7-dimethyl	5392-40-5	0.1 - 1
Terpenes and Terpenoids	68917-33-9	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

IV. FIRST-AID MEASURES			
Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately.		
Eyes:	Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention.		
Skin Contact:	Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.		
Ingestion:	Do not induce vomiting and seek medical attention immediately. Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis.		
Most important	0		
symptoms and effects -	No Data Avai	lable	
acute			
Most important			
symptoms and effects - chronic	No Data Available		
Notes to Doctor:	No additional first aid information available		
V. FIRE FIGHTING MEASURES			
Flammability Summary:		Combustible	
Extinguishing Media:	against:	Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid. No Data Available	
Fire and/or Explosion Hazard	-	Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). Vapors are heavier than air and may travel to a source of ignition and flash back. Combustible Liquid. Can form explosive mixtures at temperatures at or above the flash point.	

Fire Fighting Methods and Protection: Hazardous Combustion Products:	Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Carbon dioxide, Carbon monoxide, Carbon Oxides	
VI. ACCIDENTAL RELEASE MEASURES		
Personal Precautions and Equipment:	No health affects expected from the clean-up of this material if	
Methods for Clean-up: VII. HANDLING AND STORAGE	contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash.	
Handling Technical Measures and Precaut	with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use spark-proof tools and explosion-proof equipment	
Storage Technical Measures and Condition Materials to Avoid/Chemical Incompatibil	Keep container closed when not in use Store in a cool dry place Keep away from heat, sparks, and flame Store in a cool place in original container and protect from sunlight Do not store near combustible materials	

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures:	Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Ventilation is required to maintain operator exposure below published exposure limits. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits Explosion proof exhaust ventilation should be used. Facilities storing or using this material should be equipped with an eyewash and safety shower.
Respiratory Protection:	Respiratory protection will be required when handling this product. Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the

	use of a respirator. Wear a NIOSH approved respirator if any exposure is possible.
	Respiratory protection may be required in addition to ventilation depending upon conditions of use.
Eye Protection:	Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses. Wear goggles and a Face shield
Skin Protection:	Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield
Gloves:	No information available
Handling Instructions:	As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use spark-proof tools and explosion-proof equipment

Control Parameters:				
Chemical Name No Data Available	ACGIH TLV-TWA No TLV	ACGIH STEL	OSHA PEL No PEL established	

IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Color:	Very pale yellow
Odor:	Comparable to Standard
Odor Threshold:	ND
pH:	Not Available
Flash Point:	180 º F
Evaporation Rate:	Not Available
Flammability (Solid, Gas):	No Data Available
Upper Flammable/Explosive Limit:	6.0
Lower Flammable/Explosive Limit:	1.2
Vapor Density:	>1
Relative Density:	1
Solubility in Water:	Soluble in water- No
Volatiles, % by weight:	1.99
Volatiles, % by weight:	1.99
Bulk Density:	7.01

X. STABILITY AND REACTIVITY

Reactivity:	No Data Available
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	No Data Available
Conditions to Avoid:	None known. Contamination Elevated temperatures
Materials to Avoid/Chemical Incompatibility:	Strong oxidizing agents Amines Strong acids Caustics (bases)
Hazardous Decomposition Products:	Carbon dioxide Carbon monoxide

XI. TOXICOLOGICAL INFORMATION

Routes of Entry: Most Important Symptoms:	Skin contact, Eye contact, Inł No Data Available	nalation	
Target Organs Potentially Affected by Exposure: Chemical Interactions That Change Toxicity:		Eyes, Skin, Respiratory Tract None Known	
Medical Conditions Aggravated by Exposure:		Eye disease, Skin disease including eczema and sensitization, Respiratory disease including asthma and bronchitis	
Immediate (Acute) Heal	th Effects by Route of Exposu	re:	
Inhalation Irritation:	Can cause res	spiratory irritation.	
Skin Contact:		Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.	
Eye Contact:		Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.	
Ingestion Irritation:	vomiting and	Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea, vomiting and diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis.	
Ingestion Toxicity:	Harmful if sw	allowed.	
Long-Term (Chronic)	Health Effects:		
Carcinogenicity:		substances have been shown to cause cancer in long term animal	
	studies. Not a	a carcinogen according to NTP, IARC, or OSHA.	
Reproductive toxicity	-	No data available to indicate product or any components present at greater than	
	0.1% may cau	use birth defects.	
Germ cell mutagenic	ity: No data avail	able to indicate product or any components present at greater than	
	0.1% is muta	genic or genotoxic.	
Inhalation:	Upon prolong	ged and/or repeated exposure, can cause severe respiratory irritation,	
	dizziness, we	akness, fatigue, nausea, headache and possible unconsciousness.	
Skin Contact:	Upon prolon	ged or repeated contact, can cause moderate skin irritation, defatting,	

and dermatitis. Not likely to cause permanent damage.

Component Toxicology Data:		
Chemical Name	CAS Number	LD50/LC50
No data available		

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical N	lame	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen	
No Da					
Availat	ole				

XII. ECOLOGICAL INFORMATION

Overview:

This material is not expected to be harmful to the ecology.

Mobility in Soil: Persistence: Bioaccumulation Other adverse ef	ף זיינייי	No Data Available No Data Available No Data Available No Data Available							
Ecotoxicity Data									
Chemical Name		CAS Num		Aquatic EC50 Crustacea	Aquatic ERC5 Algae	50 Aquatic LO	:50 Fish		
No Data Availabl	е								
XIII. DISPOSAL CO	NSIDERATIONS	5							
Waste Descriptic Waste Descriptic Packaging:	-	oduct:	Spent or discarded material may be a hazardous waste. No Data Available						
Disposal Method	Disposal Methods: DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all applicable regulations.								
XIV. TRANSPORTA	TION INFORM	ATION							
US DOT Ground S	hipping Descrip	otion:	Not Restri	cted					
IATA Shipping Description:			Not Restri	cted					
IMDG Shipping De	escription:		Not Restri	cted					
XV. REGULATORY	INFORMATION	J							
TSCA Status	All component	ts in this p	roduct are	on the TSCA Inver	itory.				
Chemical Name No 313-listed che	emicals in this p	product	CAS #		Regulation SARA 313	% Range			
XVI. OTHER INFOR	RMATION								
Revision Date: Disclaimer: MAXI-BATTERY	good faith an factors may a	nd believed affect proc	l to be accu essing or a	rate, it is provided oplication/use, we	ation contained here d for your guidance o e recommend that yo	only. Because many			

assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.