Product Name: MAXI-BATTERY BERRY BLAST - PREMIUM

Product identifier: 7685-9 **Revision Date: 07-27-2016**

Replaces:



1. Identification

Product identifier used on the label:

Product Name: MAXI-BATTERY BERRY BLAST - PREMIUM

Fragrance

Product identifier:

Other means of identification

No Data Available Synonyms:

Recommended use of the

chemical and restrictions on

use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer / ALPHA AROMATICS Importer / Distributor: RIDC INDUSTRIAL PARK

294 ALPHA DRIVE

FOX CHAPEL, PA 15238

Emergency phone number: EMERGENCY PHONE: (800) 535-5053

> INFORMATION PHONE: 412-252-1012 INFORMATION FAX: 412-252-1014 IF SWALLOWED CALL YOUR POISON **CONTROL CENTER AT 1-800-222-1222**

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:





GHS Classification: Aspiration Hazard Category 1; Skin Corrosion/Irritation Category 2; Serious Eye

Damage/Eye Irritation Category 2A; Hazardous to the aquatic environment - Acute

Category 3; Hazardous to the aquatic environment - Chronic Category 3;

Flammable Liquid Category 4

GHS Signal Word: Danger

GHS Hazard Statements: Cumbustible Liquid; May be fatal if swallowed and enters airways.; Causes skin

> irritation.; May cause an allergic skin reaction.; Causes serious eye irritation.; Harmful to aquatic life.; Harmful to aquatic life with long lasting effects.

GHS Precautionary Statements:

Product Name: MAXI-BATTERY BERRY BLAST - PREMIUM

Product identifier: 7685-9 **Revision Date:** 07-27-2016

Replaces:

Safety Precautions: Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Wash

thoroughly after handling. Contaminated work clothing should not be allowed out

of the workplace. Avoid release to the environment. Wear protective

gloves/protective clothing/eye protection/face protection.

First Aid Measures: IF SWALLOWED: Immediately call a POISON CENTER/doctor/.... IF ON SKIN: Wash

with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. In case of fire: Use extinguishing media

listed in Section 5 of the SDS to extinguish.

Store in a well-ventilated place. Keep cool. Store locked up.

Disposal: Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
Hydrotreated light distillate	90622-58-5	30 - 60
(Petroleum)		
Stoddard solvent	8052-41-3	10 - 30
Benzoic acid, 2-amino-, methyl ester	134-20-3	10 - 30
Ethyl methylphenylglycidate	77-83-8	3 - 7
Butanoic acid, ethyl ester	105-54-4	0.5 - 1.5

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Eye Contact: Flush eyes with plenty of water for at least 20 minutes retracting

eyelids often. Tilt the head to prevent chemical from transferring to

the uncontaminated eye. Get immediate medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and

launder. Get medical attention if irritation develops or persists.

Inhalation: Remove to fresh air. If breathing is difficult, have a trained

individual administer oxygen. If not breathing, give artificial

Product Name: MAXI-BATTERY BERRY BLAST - PREMIUM

Product identifier: 7685-9 **Revision Date:** 07-27-2016

Replaces:

respiration and have a trained individual administer oxygen. Get

medical attention immediately.

Ingestion: Do not induce vomiting and seek medical attention immediately.

Drink two glasses of water or milk to dilute. Provide medical care provider with this MSDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the

lungs potentially causing chemical pneumonitis.

Most important symptoms/effects, acute and delayed:

Most important

No Data Available

symptoms/effects (Acute):

Most important

No Data Available

symptoms/effects (Delayed):

Indication of immediate medical attention and special treatment needed, if necessary:

No additional first aid information available

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical

extinguishing agents. Water may be ineffective but water spray can be used extinguish a fire if swept across the base of the flames. Water can absorb heat and keep exposed material from being damaged by fire. Alcohol foam Dry chemical Carbon dioxide

Unsuitable extinguishing media: No Data Available

Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):

Flammability Summary: Combustible

Fire and/or Explosion

Hazards:

Vapors may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B).

Vapors are heavier than air and may travel to a source of ignition and flash back. Combustible Liquid. Can form explosive mixtures at

temperatures at or above the flash point.

Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Carbon dioxide, Carbon monoxide, Carbon Oxides, nitrogen oxides

Hazardous Combustion

Products:

(NOx)

Special protective equipment

and precautions for

fire-fighters:

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the

potential of hazardous vapors and decomposition products.

Product Name: MAXI-BATTERY BERRY BLAST - PREMIUM

Product identifier: 7685-9 **Revision Date:** 07-27-2016

Replaces:

Flammable component(s) of this material may be lighter than water

and burn while floating on the surface. Use methods for the surrounding fire.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures: Methods and materials for containment and cleaning up: No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

No special spill clean-up considerations. Collect and discard in

regular trash.

7. Handling and storage

Precautions for safe handling: Mildly irritating material. Avoid unnecessary exposure. As with all

chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Use spark-proof tools and explosion-proof equipment

Conditions for safe storage, including any incompatibilities

Conditions for safe storage: Store in a cool dry place. Isolate from incompatible materials. Keep

container closed when not in use Store in a cool dry place Keep away from heat, sparks, and flame Keep away from sources of

ignition

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents Amines Strong acids Caustics (bases) Acids

Acid chlorides Acid anhydrides Chloroformates Strong bases

Oxidising agents Bases

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Component	ACGIH TLV-TWA	ACGIH STEL	OSHA PEL
Stoddard solvent	100 ppm TWA; 525 mg/m3 TWA		500 ppm TWA; 2900 mg/m3 TWA

Appropriate engineering controls:

Local exhaust ventilation or other engineering controls are normally

required when handling or using this product to avoid

Product Name: MAXI-BATTERY BERRY BLAST - PREMIUM

Product identifier: 7685-9 **Revision Date:** 07-27-2016

Replaces:

overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Ventilation is required to maintain operator exposure below published exposure limits. Use process enclosures, local exhaust ventilation, or other

engineering controls to control airborne levels below

recommended exposure limits

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Respiratory protection will be required when handling this product.

Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Wear a NIOSH approved

respirator if any exposure is possible.

Eye Protection: Wear chemically resistant safety glasses with side shields when

handling this product. Do not wear contact lenses. Wear goggles

and a Face shield

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through

and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield

Gloves: No information available

Respiratory Protection: Respiratory protection will be required when handling this product.

Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Wear a NIOSH approved

respirator if any exposure is possible.

Other Protective Equipment: Wear goggles and a Face shield Where contact is likely, wear

chemical resistant gloves, a chemical suit, rubber boots, and

chemical safety goggles plus a face shield

General Hygiene Conditions: As with all chemicals, good industrial hygiene practices should be

followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing Ground and bond containers when transferring material "Empty" containers retain product residue (liquid and/or vapor) and

can be dangerous. Use spark-proof tools and explosion-proof

equipment

Product Name: MAXI-BATTERY BERRY BLAST - PREMIUM

Product identifier: 7685-9 **Revision Date: 07-27-2016**

Replaces:

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state): Liquid

Color: Very pale yellow

Odor: MildComparable to Standard

Odor threshold: Not determined :Ha Not Available

Melting Point/Freezing Point (°C): 75 º F Initial Boiling Point and Boiling Range (°C): 177 Flash Point: 150 º F **Evaporation Rate:** Not Available Flammability (solid, gas): No Data Available

Upper/lower flammability or explosive limits:

Upper Flammable/Explosive Limit: 6.0 **Lower Flammable/Explosive Limit:** 1.1 **Vapor Density:** > 1 **Relative Density:** 0.8628

Solubility(ies): Soluble in water- No

Auto-ignition Temperature (°C): 463 º C

Decomposition Temperature:: No Data Available **Viscosity:** No Data Available

Volatiles, % by weight 71.97

Volatile Organic Chemicals No Data Available

Bulk Density 7.202

10. Stability and reactivity

Reactivity: No Data Available

Stable under normal conditions. **Chemical stability:**

Possibility of hazardous No Data Available

reactions:

Conditions to avoid (e.g., static Temperatures above flash point in combination with sparks, open discharge, shock, or vibration): flames, or other sources of ignition. Contamination Elevated

temperatures Avoid moisture Heat flame sparks.

Incompatible materials: Strong oxidizing agents Amines Strong acids Caustics (bases) Acids

Acid chlorides Acid anhydrides Chloroformates Strong bases

Oxidising agents Bases

Hazardous decomposition

Carbon dioxide Carbon monoxide Carbon Oxides nitrogen oxides

products: (NOx)

11. Toxicological information

Product Name: MAXI-BATTERY BERRY BLAST - PREMIUM

Product identifier: 7685-9 **Revision Date:** 07-27-2016

Replaces:

Information on the likely routes

Skin contact, Eye contact, Inhalation

of exposure (inhalation,

ingestion, skin and eye contact):

Symptoms related to the

No Data Available

physical, chemical and toxicological characteristics:

Target Organs Potentially

Kidneys, Eyes, Skin, Nervous System, Respiratory Tract

Affected by Exposure:

Chemical Interactions That

None Known

Change Toxicity:

Medical Conditions Aggravated

Kidney disease, Eye disease, Skin disease including eczema and sensitization,

by Exposure: Respiratory disease including asthma and bronchitis

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: Can cause respiratory irritation.

Skin Contact: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause

permanent damage.

Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to permanently

injure eye tissue.

Ingestion Irritation: Irritating to mouth, throat, and stomach. Can cause abdominal discomfort, nausea,

vomiting and diarrhea. Aspiration of material into the lungs can cause chemical

pneumonitis.

Ingestion Toxicity: Harmful if swallowed.

Long-Term (Chronic) Health Effects:

Carcinogenicity:None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive andNo data available to indicate product or any components present at greater than

Developmental Toxicity: 0.1% may cause birth defects.

Mutagenicity:No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, can cause severe respiratory irritation,

dizziness, weakness, fatigue, nausea, headache and possible unconsciousness.

Skin Contact: Upon prolonged or repeated contact, can cause moderate skin irritation, defatting,

and dermatitis. Not likely to cause permanent damage.

Numerical measures of toxicity (such as acute toxicity estimates)

Component Toxicology Data

Chemical Component Oral LD50	Dermal LD50	Inhalation LC50
------------------------------	-------------	-----------------

Product Name: MAXI-BATTERY BERRY BLAST - PREMIUM

Product identifier: 7685-9 **Revision Date:** 07-27-2016

Replaces:

No data available			
-------------------	--	--	--

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No Data Available			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available):

Ecological Toxicity Data

This material is not expected to be harmful to the ecology.

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No Data Available			

Persistence and degradability: No Data Available
Bioaccumulative potential: No Data Available
Mobility in soil: No Data Available
Other adverse effects (such as

hazardous to the ozone layer):

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Description of waste residues: Spent or discarded material may be a hazardous waste.

Safe Handling of Waste: No Data Available

Waste treatment methods
DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO
(including packaging):
ANY BODY OF WATER. All disposal practices must be in

compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the sole responsibility of the waste generator. As your supplier, we

have no control over the management practices or manufacturing processes of parties handling or using this material. The information presented here pertains only to the product when used as intended, according to this MSDS. For unused and uncontaminated product, the preferred options

Product Name: MAXI-BATTERY BERRY BLAST - PREMIUM

Product identifier: 7685-9 **Revision Date:** 07-27-2016

Replaces:

include sending to a licensed and permitted incinerator or other thermal destruction device. Various federal, state or provincial agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be covered in this MSDS. The user shall have to review these regulations to ensure full compliance with all

applicable regulations.

14. Transport information

US DOT Ground Shipping

Not Restricted

Description:

IATA Shipping Description: Not Restricted
IMDG Shipping Description: Not Restricted

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

TSCA Status: All components in this product are on the TSCA Inventory. **California Prop 65:** Does not contain any chemicals listed on California Proposition

65.

Regulated Components:

Chemical Component	CAS number and other unique identifiers	Regulation	% Range
None Listed		California Prop 65	
		Cancer	
None Listed		California Prop 65	
		Developmental	
None Listed		California Prop 65	
		Reproductive	
		Female	
None Listed		California Prop 65	
		Reproductive Male	
None Listed		CERCLA	
None Listed		SARA 313	

Product Name: MAXI-BATTERY BERRY BLAST - PREMIUM

Product identifier: 7685-9 **Revision Date:** 07-27-2016

Replaces:

None Listed	SARA EHS	

16. Other information, including date of preparation or last revision.

Revision Date: 07-27-2016

Revision Number:

Disclaimer:

Important: While the descriptions, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you perform an assessment to determine the suitability of the product for your particular purpose prior to use. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. No warranties of any kind, either expressed or implied, including fitness for a particular purpose are made regarding the product described. We assume NO responsibility for any injuries resulting from misuse or misapplication of this product or that might be sustained because of inhalation, ingestion, absorption

or other contact with this product. In no case shall the descriptions, information, or data provided be considered a part of our terms and conditions of sale. Further, the descriptions, data and information furnished hereunder are given gratis. No obligation or liability for the description, data and information given are assumed. All such being given and accepted at your risk.